

算法设计与分析(2024年春季学期)

# Graph Algorithms

授课老师: 栗师


南京大学计算机科学与技术系

# Outline

- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence

# Spanning Tree

**Def.** Given a connected graph  $G = (V, E)$ , a **spanning tree**  $T = (V, F)$  of  $G$  is a sub-graph of  $G$  that is a tree including all vertices  $V$ .






## Minimum Spanning Tree (MST) Problem

**Input:** Graph  $G = (V, E)$  and edge weights  $w : E \rightarrow \mathbb{R}$

**Output:** the spanning tree  $T$  of  $G$  with the minimum total weight



## Recall: Steps of Designing A Greedy Algorithm

- Design a “reasonable” strategy
- Prove that the reasonable strategy is “safe” (key, usually done by “exchanging argument”)
- Show that the remaining task after applying the strategy is to solve a (many) smaller instance(s) of the same problem (usually trivial)


**Def.** A choice is “safe” if there is an optimum solution that is “consistent” with the choice

## Two Classic Greedy Algorithms for MST

- Kruskal’s Algorithm
- Prim’s Algorithm

# Outline

- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence



**Q:** Which edge can be safely included in the MST?


**A:** The edge with the smallest weight (lightest edge).




**Lemma** It is safe to include the lightest edge: there is a minimum spanning tree, that contains the lightest edge.

## Proof.

- Take a minimum spanning tree  $T$
- Assume the lightest edge  $e^*$  is not in  $T$
- There is a unique path in  $T$  connecting  $u$  and  $v$
- Remove any edge  $e$  in the path to obtain tree  $T'$
- $w(e^*) \leq w(e) \implies w(T') \leq w(T)$ :  $T'$  is also a MST □




# Is the Residual Problem Still a MST Problem?



- Residual problem: find the minimum spanning tree that contains edge  $(g, h)$
- **Contract** the edge  $(g, h)$
- Residual problem: find the minimum spanning tree in the contracted graph

## Contraction of an Edge $(u, v)$



- Remove  $u$  and  $v$  from the graph, and add a new vertex  $u^*$
- Remove all edges  $(u, v)$  from  $E$
- For every edge  $(u, w) \in E, w \neq v$ , change it to  $(u^*, w)$
- For every edge  $(v, w) \in E, w \neq u$ , change it to  $(u^*, w)$
- **May create parallel edges!** E.g. : two edges  $(i, g^*)$

# Greedy Algorithm

Repeat the following step until  $G$  contains only one vertex:

- 1 Choose the lightest edge  $e^*$ , add  $e^*$  to the spanning tree
- 2 Contract  $e^*$  and update  $G$  be the contracted graph

**Q:** What edges are removed due to contractions?


**A:** Edge  $(u, v)$  is removed if and only if there is a path connecting  $u$  and  $v$  formed by edges we selected

# Greedy Algorithm

## MST-Greedy( $G, w$ )

- 1:  $F \leftarrow \emptyset$
- 2: sort edges in  $E$  in non-decreasing order of weights  $w$
- 3: **for** each edge  $(u, v)$  in the order **do**
- 4:     **if**  $u$  and  $v$  are not connected by a path of edges in  $F$  **then**
- 5:          $F \leftarrow F \cup \{(u, v)\}$
- 6: **return**  $(V, F)$

# Kruskal's Algorithm: Example



Sets:  $\{a, b, c, i, f, g, h, d, e\}$

# Kruskal's Algorithm: Efficient Implementation of Greedy Algorithm

## MST-Kruskal( $G, w$ )

- 1:  $F \leftarrow \emptyset$
- 2:  $\mathcal{S} \leftarrow \{\{v\} : v \in V\}$
- 3: sort the edges of  $E$  in non-decreasing order of weights  $w$
- 4: **for** each edge  $(u, v) \in E$  in the order **do**
- 5:      $S_u \leftarrow$  the set in  $\mathcal{S}$  containing  $u$
- 6:      $S_v \leftarrow$  the set in  $\mathcal{S}$  containing  $v$
- 7:     **if**  $S_u \neq S_v$  **then**
- 8:          $F \leftarrow F \cup \{(u, v)\}$
- 9:          $\mathcal{S} \leftarrow \mathcal{S} \setminus \{S_u\} \setminus \{S_v\} \cup \{S_u \cup S_v\}$
- 10: **return**  $(V, F)$

# Running Time of Kruskal's Algorithm

## MST-Kruskal( $G, w$ )

- 1:  $F \leftarrow \emptyset$
- 2:  $\mathcal{S} \leftarrow \{\{v\} : v \in V\}$
- 3: sort the edges of  $E$  in non-decreasing order of weights  $w$
- 4: **for** each edge  $(u, v) \in E$  in the order **do**
- 5:      $S_u \leftarrow$  the set in  $\mathcal{S}$  containing  $u$
- 6:      $S_v \leftarrow$  the set in  $\mathcal{S}$  containing  $v$
- 7:     **if**  $S_u \neq S_v$  **then**
- 8:          $F \leftarrow F \cup \{(u, v)\}$
- 9:          $\mathcal{S} \leftarrow \mathcal{S} \setminus \{S_u\} \setminus \{S_v\} \cup \{S_u \cup S_v\}$
- 10: **return**  $(V, F)$


Use **union-find** data structure to support ②, ⑤, ⑥, ⑦, ⑨.



# Union-Find Data Structure


- $V$ : ground set
- We need to maintain a partition of  $V$  and support following operations:
  - Check if  $u$  and  $v$  are in the same set of the partition
  - Merge two sets in partition

- $V = \{1, 2, 3, \dots, 16\}$
- Partition:  $\{2, 3, 5, 9, 10, 12, 15\}$ ,  $\{1, 7, 13, 16\}$ ,  $\{4, 8, 11\}$ ,  $\{6, 14\}$



- $par[i]$ : parent of  $i$ , ( $par[i] = \perp$  if  $i$  is a root).

# Union-Find Data Structure



- Q: how can we check if  $u$  and  $v$  are in the same set?
- A: Check if  $\text{root}(u) = \text{root}(v)$ .
- $\text{root}(u)$ : the root of the tree containing  $u$
- Merge the trees with root  $r$  and  $r'$ :  $\text{par}[r] \leftarrow r'$ .

# Union-Find Data Structure

## root( $v$ )

```
1: if  $par[v] = \perp$  then  
2:   return  $v$   
3: else  
4:   return  $root(par[v])$ 
```

## root( $v$ )


```
1: if  $par[v] = \perp$  then  
2:   return  $v$   
3: else  
4:    $par[v] \leftarrow root(par[v])$   
5: return  $par[v]$ 
```

- Problem: the tree might too deep; running time might be large
- Improvement: all vertices in the path directly point to the root, saving time in the future.

# Union-Find Data Structure

**root(*v*)**

- 1: **if**  $par[v] = \perp$  **then**
- 2:     **return**  $v$
- 3: **else**
- 4:      $par[v] \leftarrow root(par[v])$
- 5:     **return**  $par[v]$



## MST-Kruskal( $G, w$ )

- 1:  $F \leftarrow \emptyset$
- 2:  $\mathcal{S} \leftarrow \{\{v\} : v \in V\}$
- 3: sort the edges of  $E$  in non-decreasing order of weights  $w$
- 4: **for** each edge  $(u, v) \in E$  in the order **do**
- 5:      $S_u \leftarrow$  the set in  $\mathcal{S}$  containing  $u$
- 6:      $S_v \leftarrow$  the set in  $\mathcal{S}$  containing  $v$
- 7:     **if**  $S_u \neq S_v$  **then**
- 8:          $F \leftarrow F \cup \{(u, v)\}$
- 9:          $\mathcal{S} \leftarrow \mathcal{S} \setminus \{S_u\} \setminus \{S_v\} \cup \{S_u \cup S_v\}$
- 10: **return**  $(V, F)$


## MST-Kruskal( $G, w$ )

```
1:  $F \leftarrow \emptyset$ 
2: for every  $v \in V$  do:  $par[v] \leftarrow \perp$ 
3: sort the edges of  $E$  in non-decreasing order of weights  $w$ 
4: for each edge  $(u, v) \in E$  in the order do
5:    $u' \leftarrow root(u)$ 
6:    $v' \leftarrow root(v)$ 
7:   if  $u' \neq v'$  then
8:      $F \leftarrow F \cup \{(u, v)\}$ 
9:      $par[u'] \leftarrow v'$ 
10: return  $(V, F)$ 
```

- ②, ⑤, ⑥, ⑦, ⑨ takes time  $O(m\alpha(n))$
- $\alpha(n)$  is very slow-growing:  $\alpha(n) \leq 4$  for  $n \leq 10^{80}$ .
- Running time = time for ③ =  $O(m \lg n)$ .

**Assumption** Assume all edge weights are different.

**Lemma** An edge  $e \in E$  is **not** in the MST, if and only if there is cycle  $C$  in  $G$  in which  $e$  is the heaviest edge.



- $(i, g)$  is not in the MST because of cycle  $(i, c, f, g)$
- $(e, f)$  is in the MST because no such cycle exists



# Outline

## 1 Minimum Spanning Tree

- Kruskal's Algorithm
- Reverse-Kruskal's Algorithm
- Prim's Algorithm

## 2 Single Source Shortest Paths

- Dijkstra's Algorithm


## 3 Shortest Paths in Graphs with Negative Weights

## 4 All-Pair Shortest Paths and Floyd-Warshall

## 5 Minimum Cost Arborescence

## Two Methods to Build a MST

- 1 Start from  $F \leftarrow \emptyset$ , and add edges to  $F$  one by one until we obtain a spanning tree
- 2 Start from  $F \leftarrow E$ , and **remove** edges from  $F$  one by one until we obtain a spanning tree



**Q:** Which edge can be safely **excluded** from the MST?

**A:** The heaviest non-**bridge** edge.

**Def.** A **bridge** is an edge whose removal disconnects the graph.


**Lemma** It is safe to exclude the heaviest non-bridge edge: there is a MST that does not contain the heaviest non-bridge edge.

# Reverse Kruskal's Algorithm

## MST-Greedy( $G, w$ )

- 1:  $F \leftarrow E$
- 2: sort  $E$  in non-increasing order of weights
- 3: **for** every  $e$  in this order **do**
- 4:     **if**  $(V, F \setminus \{e\})$  is connected **then**
- 5:          $F \leftarrow F \setminus \{e\}$
- 6: **return**  $(V, F)$

# Reverse Kruskal's Algorithm: Example



# Outline

## 1 Minimum Spanning Tree

- Kruskal's Algorithm
- Reverse-Kruskal's Algorithm
- Prim's Algorithm

## 2 Single Source Shortest Paths

- Dijkstra's Algorithm


## 3 Shortest Paths in Graphs with Negative Weights

## 4 All-Pair Shortest Paths and Floyd-Warshall

## 5 Minimum Cost Arborescence


# Design Greedy Strategy for MST

- Recall the greedy strategy for Kruskal's algorithm: choose the edge with the smallest weight.



- Greedy strategy for Prim's algorithm: choose the lightest edge incident to *a*.

**Lemma** It is safe to include the lightest edge incident to  $a$ .




**Proof.**

- Let  $T$  be a MST
- Consider all components obtained by removing  $a$  from  $T$
- Let  $e^*$  be the lightest edge incident to  $a$  and  $e^*$  connects  $a$  to component  $C$
- Let  $e$  be the edge in  $T$  connecting  $a$  to  $C$
- $T' = T \setminus \{e\} \cup \{e^*\}$  is a spanning tree with  $w(T') \leq w(T)$  □



# Prim's Algorithm: Example






# Prim's Algorithm: Efficient Implementation of Greedy Algorithm

For every  $v \in V \setminus S$  maintain

- $d[v] = \min_{u \in S: (u,v) \in E} w(u, v)$ :  
the weight of the lightest edge between  $v$  and  $S$
- $\pi[v] = \arg \min_{u \in S: (u,v) \in E} w(u, v)$ :  
 $(\pi[v], v)$  is the lightest edge between  $v$  and  $S$



# Prim's Algorithm: Efficient Implementation of Greedy Algorithm

For every  $v \in V \setminus S$  maintain

- $d[v] = \min_{u \in S: (u,v) \in E} w(u, v)$ :  
the weight of the lightest edge between  $v$  and  $S$
- $\pi[v] = \arg \min_{u \in S: (u,v) \in E} w(u, v)$ :  
 $(\pi[v], v)$  is the lightest edge between  $v$  and  $S$

In every iteration

- Pick  $u \in V \setminus S$  with the smallest  $d[u]$  value
- Add  $(\pi[u], u)$  to  $F$
- Add  $u$  to  $S$ , update  $d$  and  $\pi$  values.

# Prim's Algorithm

## MST-Prim( $G, w$ )

- 1:  $s \leftarrow$  arbitrary vertex in  $G$
- 2:  $S \leftarrow \emptyset, d(s) \leftarrow 0$  and  $d[v] \leftarrow \infty$  for every  $v \in V \setminus \{s\}$
- 3: **while**  $S \neq V$  **do**
- 4:      $u \leftarrow$  vertex in  $V \setminus S$  with the minimum  $d[u]$
- 5:      $S \leftarrow S \cup \{u\}$
- 6:     **for** each  $v \in V \setminus S$  such that  $(u, v) \in E$  **do**
- 7:         **if**  $w(u, v) < d[v]$  **then**
- 8:              $d[v] \leftarrow w(u, v)$
- 9:              $\pi[v] \leftarrow u$
- 10: **return**  $\{(u, \pi[u]) \mid u \in V \setminus \{s\}\}$



# Prim's Algorithm

For every  $v \in V \setminus S$  maintain

- $d[v] = \min_{u \in S: (u,v) \in E} w(u, v)$ :  
the weight of the lightest edge between  $v$  and  $S$
- $\pi[v] = \arg \min_{u \in S: (u,v) \in E} w(u, v)$ :  
 $(\pi[v], v)$  is the lightest edge between  $v$  and  $S$

In every iteration

- Pick  $u \in V \setminus S$  with the smallest  $d[u]$  value extract\_min
- Add  $(\pi[u], u)$  to  $F$
- Add  $u$  to  $S$ , update  $d$  and  $\pi$  values. decrease\_key

Use a **priority queue** to support the operations

**Def.** A **priority queue** is an **abstract** data structure that maintains a set  $U$  of elements, each with an associated key value, and supports the following operations:

- $\text{insert}(v, \text{key\_value})$ : insert an element  $v$ , whose associated key value is  $\text{key\_value}$ .
- $\text{decrease\_key}(v, \text{new\_key\_value})$ : decrease the key value of an element  $v$  in queue to  $\text{new\_key\_value}$
- $\text{extract\_min}()$ : return and remove the element in queue with the smallest key value
- ...



# Prim's Algorithm

## MST-Prim( $G, w$ )

- 1:  $s \leftarrow$  arbitrary vertex in  $G$
- 2:  $S \leftarrow \emptyset, d(s) \leftarrow 0$  and  $d[v] \leftarrow \infty$  for every  $v \in V \setminus \{s\}$
- 3:
- 4: **while**  $S \neq V$  **do**
- 5:      $u \leftarrow$  vertex in  $V \setminus S$  with the minimum  $d[u]$
- 6:      $S \leftarrow S \cup \{u\}$
- 7:     **for each**  $v \in V \setminus S$  such that  $(u, v) \in E$  **do**
- 8:         **if**  $w(u, v) < d[v]$  **then**
- 9:              $d[v] \leftarrow w(u, v)$
- 10:              $\pi[v] \leftarrow u$
- 11: **return**  $\{(u, \pi[u]) \mid u \in V \setminus \{s\}\}$

# Prim's Algorithm Using Priority Queue

## MST-Prim( $G, w$ )

- 1:  $s \leftarrow$  arbitrary vertex in  $G$
- 2:  $S \leftarrow \emptyset, d(s) \leftarrow 0$  and  $d[v] \leftarrow \infty$  for every  $v \in V \setminus \{s\}$
- 3:  $Q \leftarrow$  empty queue, for each  $v \in V: Q.\text{insert}(v, d[v])$
- 4: **while**  $S \neq V$  **do**
- 5:      $u \leftarrow Q.\text{extract\_min}()$
- 6:      $S \leftarrow S \cup \{u\}$
- 7:     **for** each  $v \in V \setminus S$  such that  $(u, v) \in E$  **do**
- 8:         **if**  $w(u, v) < d[v]$  **then**
- 9:              $d[v] \leftarrow w(u, v), Q.\text{decrease\_key}(v, d[v])$
- 10:              $\pi[v] \leftarrow u$
- 11: **return**  $\{(u, \pi[u]) \mid u \in V \setminus \{s\}\}$


# Running Time of Prim's Algorithm Using Priority Queue

$O(n) \times (\text{time for extract\_min}) + O(m) \times (\text{time for decrease\_key})$

concrete DS	extract_min	decrease_key	overall time
heap	$O(\log n)$	$O(\log n)$	$O(m \log n)$
Fibonacci heap	$O(\log n)$	$O(1)$	$O(n \log n + m)$

**Assumption** Assume all edge weights are different.

**Lemma**  $(u, v)$  is in MST, if and only if there exists a **cut**  $(U, V \setminus U)$ , such that  $(u, v)$  is the lightest edge between  $U$  and  $V \setminus U$ .



- $(c, f)$  is in MST because of cut  $(\{a, b, c, i\}, V \setminus \{a, b, c, i\})$
- $(i, g)$  is not in MST because no such cut exists

# “Evidence” for $e \in \text{MST}$ or $e \notin \text{MST}$

**Assumption** Assume all edge weights are different.

- $e \in \text{MST} \leftrightarrow$  there is a cut in which  $e$  is the lightest edge
- $e \notin \text{MST} \leftrightarrow$  there is a cycle in which  $e$  is the heaviest edge

Exactly one of the following is true:

- There is a cut in which  $e$  is the lightest edge
- There is a cycle in which  $e$  is the heaviest edge

Thus, the minimum spanning tree is unique with assumption.

# Outline

- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence

algorithm	graph	weights	SS?	running time
Simple DP	DAG	$\mathbb{R}$	SS	$O(n + m)$
Dijkstra	U/D	$\mathbb{R}_{\geq 0}$	SS	$O(n \log n + m)$
Bellman-Ford	U/D	$\mathbb{R}$	SS	$O(nm)$
Floyd-Warshall	U/D	$\mathbb{R}$	AP	$O(n^3)$


- DAG = directed acyclic graph    U = undirected    D = directed
- SS = single source    AP = all pairs

## $s$ - $t$ Shortest Paths

**Input:** (directed or undirected) graph  $G = (V, E)$ ,  $s, t \in V$

$$w : E \rightarrow \mathbb{R}_{\geq 0}$$

**Output:** shortest path from  $s$  to  $t$





## Single Source Shortest Paths

**Input:** directed graph  $G = (V, E)$ ,  $s \in V$

$$w : E \rightarrow \mathbb{R}_{\geq 0}$$

**Output:** shortest paths from  $s$  to all other vertices  $v \in V$

## Reason for Considering Single Source Shortest Paths Problem

- We do not know how to solve  $s$ - $t$  shortest path problem more efficiently than solving single source shortest path problem
- Shortest paths in directed graphs is more general than in undirected graphs: we can replace every undirected edge with two anti-parallel edges of the same weight

## Single Source Shortest Paths

**Input:** directed graph  $G = (V, E)$ ,  $s \in V$


$$w : E \rightarrow \mathbb{R}_{\geq 0}$$

**Output:**  $\pi[v], v \in V \setminus s$ : the parent of  $v$  in shortest path tree

$d[v], v \in V \setminus s$ : the length of shortest path from  $s$  to  $v$

**Q:** How to compute shortest paths from  $s$  when all edges have weight 1?

**A:** Breadth first search (BFS) from source  $s$



**Assumption** Weights  $w(u, v)$  are integers (w.l.o.g).

- An edge of weight  $w(u, v)$  is equivalent to a path of  $w(u, v)$  unit-weight edges



## Shortest Path Algorithm by Running BFS


- 1: replace  $(u, v)$  of length  $w(u, v)$  with a path of  $w(u, v)$  unit-weight edges, for every  $(u, v) \in E$
- 2: run BFS **virtually**
- 3:  $\pi[v] \leftarrow$  vertex from which  $v$  is visited
- 4:  $d[v] \leftarrow$  index of the level containing  $v$

- Problem:  $w(u, v)$  may be too large!

## Shortest Path Algorithm by Running BFS Virtually

- 1:  $S \leftarrow \{s\}, d(s) \leftarrow 0$
- 2: **while**  $|S| \leq n$  **do**
- 3:     find a  $v \notin S$  that minimizes  $\min_{u \in S: (u,v) \in E} \{d[u] + w(u, v)\}$
- 4:      $S \leftarrow S \cup \{v\}$
- 5:      $d[v] \leftarrow \min_{u \in S: (u,v) \in E} \{d[u] + w(u, v)\}$

# Virtual BFS: Example



Time 10

# Outline

- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence


# Dijkstra's Algorithm

## Dijkstra( $G, w, s$ )

- 1:  $S \leftarrow \emptyset, d(s) \leftarrow 0$  and  $d[v] \leftarrow \infty$  for every  $v \in V \setminus \{s\}$
- 2: **while**  $S \neq V$  **do**
- 3:      $u \leftarrow$  vertex in  $V \setminus S$  with the minimum  $d[u]$
- 4:     add  $u$  to  $S$
- 5:     **for** each  $v \in V \setminus S$  such that  $(u, v) \in E$  **do**
- 6:         **if**  $d[u] + w(u, v) < d[v]$  **then**
- 7:              $d[v] \leftarrow d[u] + w(u, v)$
- 8:              $\pi[v] \leftarrow u$
- 9: **return**  $(d, \pi)$

- Running time =  $O(n^2)$





# Improved Running Time using Priority Queue

## Dijkstra( $G, w, s$ )

- 1:  $s \leftarrow$  arbitrary vertex in  $G$
- 2:  $S \leftarrow \emptyset, d(s) \leftarrow 0$  and  $d[v] \leftarrow \infty$  for every  $v \in V \setminus \{s\}$
- 3:  $Q \leftarrow$  empty queue, for each  $v \in V: Q.insert(v, d[v])$
- 4: **while**  $S \neq V$  **do**
- 5:      $u \leftarrow Q.extract\_min()$
- 6:      $S \leftarrow S \cup \{u\}$
- 7:     **for** each  $v \in V \setminus S$  such that  $(u, v) \in E$  **do**
- 8:         **if**  $d[u] + w(u, v) < d[v]$  **then**
- 9:              $d[v] \leftarrow d[u] + w(u, v), Q.decrease\_key(v, d[v])$
- 10:              $\pi[v] \leftarrow u$
- 11: **return**  $(\pi, d)$

# Recall: Prim's Algorithm for MST

## MST-Prim( $G, w$ )

- 1:  $s \leftarrow$  arbitrary vertex in  $G$
- 2:  $S \leftarrow \emptyset, d(s) \leftarrow 0$  and  $d[v] \leftarrow \infty$  for every  $v \in V \setminus \{s\}$
- 3:  $Q \leftarrow$  empty queue, for each  $v \in V: Q.\text{insert}(v, d[v])$
- 4: **while**  $S \neq V$  **do**
- 5:      $u \leftarrow Q.\text{extract\_min}()$
- 6:      $S \leftarrow S \cup \{u\}$
- 7:     **for** each  $v \in V \setminus S$  such that  $(u, v) \in E$  **do**
- 8:         **if**  $w(u, v) < d[v]$  **then**
- 9:              $d[v] \leftarrow w(u, v), Q.\text{decrease\_key}(v, d[v])$
- 10:              $\pi[v] \leftarrow u$
- 11: **return**  $\{(u, \pi[u]) \mid u \in V \setminus \{s\}\}$

# Improved Running Time

Running time:

$O(n) \times (\text{time for extract\_min}) + O(m) \times (\text{time for decrease\_key})$

Priority-Queue	extract_min	decrease_key	Time
Heap	$O(\log n)$	$O(\log n)$	$O(m \log n)$
Fibonacci Heap	$O(\log n)$	$O(1)$	$O(n \log n + m)$

# Outline

- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence

## Single Source Shortest Paths, Weights May be Negative

**Input:** directed graph  $G = (V, E)$ ,  $s \in V$


assume all vertices are reachable from  $s$


$w : E \rightarrow \mathbb{R}$

**Output:** shortest paths from  $s$  to all other vertices  $v \in V$

- In transition graphs, negative weights make sense
- If we sell a item: 'having the item'  $\rightarrow$  'not having the item', weight is negative (we gain money)
- Dijkstra's algorithm does not work any more!

# Dijkstra's Algorithm Fails if We Have Negative Weights





**Q:** What is the length of the shortest path from  $s$  to  $d$ ?


**A:**  $-\infty$

**Def.** A negative cycle is a cycle in which the total weight of edges is negative.

**Q:** What is the length of the shortest **simple** path from  $s$  to  $d$ ?

**A:** 1





- Unfortunately, computing the shortest simple path between two vertices is an **NP-hard** problem.

## Dealing with Negative Cycles

- We need to compute the shortest paths, among both simple and complex paths.
- Hardest: output  $-\infty$  as a distance
- Easier: if negative cycle exists, allow algorithm to report “negative cycle exists” without computing distances
- Easiest: assume negative cycles do not exist; all shortest paths are automatically simple paths

algorithm	graph	weights	SS?	running time
Simple DP	DAG	$\mathbb{R}$	SS	$O(n + m)$
Dijkstra	U/D	$\mathbb{R}_{\geq 0}$	SS	$O(n \log n + m)$
Bellman-Ford	U/D	$\mathbb{R}$	SS	$O(nm)$
Floyd-Warshall	U/D	$\mathbb{R}$	AP	$O(n^3)$

- DAG = directed acyclic graph    U = undirected    D = directed
- SS = single source    AP = all pairs

# Defining Cells of Table

## Single Source Shortest Paths, Weights May be Negative


**Input:** directed graph  $G = (V, E)$ ,  $s \in V$

assume all vertices are reachable from  $s$

$w : E \rightarrow \mathbb{R}$

**Output:** shortest paths from  $s$  to all other vertices  $v \in V$


- first try:  $f[v]$ : length of shortest path from  $s$  to  $v$
- issue: do not know in which order we compute  $f[v]$ 's
- $f^\ell[v]$ ,  $\ell \in \{0, 1, 2, 3 \dots, n - 1\}$ ,  $v \in V$  : length of shortest path from  $s$  to  $v$  **that uses at most  $\ell$  edges**




- $f^\ell[v]$ ,  $\ell \in \{0, 1, 2, 3 \dots, n-1\}$ ,  $v \in V$  :  
length of shortest path from  $s$  to  $v$  that uses at most  $\ell$  edges
- $f^2[a] = 6$
- $f^3[a] = 2$

$$f^\ell[v] = \begin{cases} 0 & \ell = 0, v = s \\ \infty & \ell = 0, v \neq s \\ \min \left\{ \begin{array}{l} f^{\ell-1}[v] \\ \min_{u:(u,v) \in E} (f^{\ell-1}[u] + w(u, v)) \end{array} \right. & \ell > 0 \end{cases}$$

# Dynamic Programming: Example



↓ length-0 edge



## dynamic-programming( $G, w, s$ )

- 1:  $f^0[s] \leftarrow 0$  and  $f^0[v] \leftarrow \infty$  for any  $v \in V \setminus \{s\}$
- 2: **for**  $\ell \leftarrow 1$  to  $n - 1$  **do**
- 3:     copy  $f^{\ell-1} \rightarrow f^\ell$
- 4:     **for** each  $(u, v) \in E$  **do**
- 5:         **if**  $f^{\ell-1}[u] + w(u, v) < f^\ell[v]$  **then**
- 6:              $f^\ell[v] \leftarrow f^{\ell-1}[u] + w(u, v)$
- 7: **return**  $(f^{n-1}[v])_{v \in V}$

**Obs.** Assuming there are no negative cycles, then a shortest path contains at most  $n - 1$  edges

## Proof.

If there is a path containing at least  $n$  edges, then it contains a cycle. Removing the cycle gives a path with the same or smaller length.  $\square$

# Bellman-Ford Algorithm

## Bellman-Ford( $G, w, s$ )


```
1:  $f[s] \leftarrow 0$  and  $f[v] \leftarrow \infty$  for any  $v \in V \setminus \{s\}$ 
2: for  $\ell \leftarrow 1$  to  $n - 1$  do
3:   for each  $(u, v) \in E$  do
4:     if  $f[u] + w(u, v) < f[v]$  then
5:        $f[v] \leftarrow f[u] + w(u, v)$ 
6: return  $f$ 
```

- Issue: when we compute  $f[u] + w(u, v)$ ,  $f[u]$  may be changed since the end of last iteration
- This is OK: it can only “accelerate” the process!
- After iteration  $\ell$ ,  $f[v]$  is **at most** the length of the shortest path from  $s$  to  $v$  that uses at most  $\ell$  edges
- $f[v]$  is always the length of **some path** from  $s$  to  $v$

# Bellman-Ford Algorithm

- After iteration  $\ell$ :
  - length of shortest  $s-v$  path
  - $\leq f[v]$
  - $\leq$  length of shortest  $s-v$  path using at most  $\ell$  edges
- Assuming there are no negative cycles:
  - length of shortest  $s-v$  path
  - $=$  length of shortest  $s-v$  path using at most  $n - 1$  edges
- So, assuming there are no negative cycles, after iteration  $n - 1$ :
  - $f[v] =$  length of shortest  $s-v$  path





- order in which we consider edges:  
 $(s, a)$ ,  $(s, b)$ ,  $(a, b)$ ,  $(a, c)$ ,  $(b, d)$ ,  
 $(c, d)$ ,  $(d, a)$

vertices	$s$	$a$	$b$	$c$	$d$
$f$	0	$\infty$ 62	$\infty$ 7	$\infty$ 2-2	$\infty$ 4

- end of iteration 1: 0, 2, 7, 2, 4
- end of iteration 2: 0, 2, 7, -2, 4
- end of iteration 3: 0, 2, 7, -2, 4
- Algorithm terminates in 3 iterations, instead of 4.

# Bellman-Ford Algorithm

## Bellman-Ford( $G, w, s$ )

- 1:  $f[s] \leftarrow 0$  and  $f[v] \leftarrow \infty$  for any  $v \in V \setminus \{s\}$
- 2: **for**  $\ell \leftarrow 1$  to  $n$  **do**
- 3:      $updated \leftarrow \text{false}$
- 4:     **for** each  $(u, v) \in E$  **do**
- 5:         **if**  $f[u] + w(u, v) < f[v]$  **then**
- 6:              $f[v] \leftarrow f[u] + w(u, v)$ ,  $\pi[v] \leftarrow u$
- 7:              $updated \leftarrow \text{true}$
- 8:     **if** not  $updated$ , then return  $f$
- 9: output “negative cycle exists”

- $\pi[v]$ : the parent of  $v$  in the shortest path tree
- Running time =  $O(nm)$

# Outline

- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence

# All-Pair Shortest Paths

## All Pair Shortest Paths

**Input:** directed graph  $G = (V, E)$ ,  
 $w : E \rightarrow \mathbb{R}$  (can be negative)

**Output:** shortest path from  $u$  to  $v$  for every  $u, v \in V$

- 1: **for** every starting point  $s \in V$  **do**
- 2:     run Bellman-Ford( $G, w, s$ )

- Running time =  $O(n^2m)$

# Summary of Shortest Path Algorithms we learned

algorithm	graph	weights	SS?	running time
Simple DP	DAG	$\mathbb{R}$	SS	$O(n + m)$
Dijkstra	U/D	$\mathbb{R}_{\geq 0}$	SS	$O(n \log n + m)$
Bellman-Ford	U/D	$\mathbb{R}$	SS	$O(nm)$
Floyd-Warshall	U/D	$\mathbb{R}$	AP	$O(n^3)$

- DAG = directed acyclic graph    U = undirected    D = directed
- SS = single source    AP = all pairs

# Design a Dynamic Programming Algorithm

- It is convenient to assume  $V = \{1, 2, 3, \dots, n\}$
- For simplicity, extend the  $w$  values to non-edges:


$$w(i, j) = \begin{cases} 0 & i = j \\ \text{weight of edge } (i, j) & i \neq j, (i, j) \in E \\ \infty & i \neq j, (i, j) \notin E \end{cases}$$

- For now assume there are no negative cycles

## Cells for Floyd-Warshall Algorithm

- First try:  $f[i, j]$  is length of shortest path from  $i$  to  $j$
- Issue: do not know in which order we compute  $f[i, j]$ 's
- $f^k[i, j]$ : length of shortest path from  $i$  to  $j$  that only uses vertices  $\{1, 2, 3, \dots, k\}$  as intermediate vertices

# Example for Definition of $f^k[i, j]$ 's



$$f^0[1, 4] = \infty$$

$$f^1[1, 4] = \infty$$

$$f^2[1, 4] = 140 \quad (1 \rightarrow 2 \rightarrow 4)$$

$$f^3[1, 4] = 90 \quad (1 \rightarrow 3 \rightarrow 2 \rightarrow 4)$$

$$f^4[1, 4] = 90 \quad (1 \rightarrow 3 \rightarrow 2 \rightarrow 4)$$

$$f^5[1, 4] = 60 \quad (1 \rightarrow 3 \rightarrow 5 \rightarrow 4)$$

$$w(i, j) = \begin{cases} 0 & i = j \\ \text{weight of edge } (i, j) & i \neq j, (i, j) \in E \\ \infty & i \neq j, (i, j) \notin E \end{cases}$$

- $f^k[i, j]$ : length of shortest path from  $i$  to  $j$  that only uses vertices  $\{1, 2, 3, \dots, k\}$  as intermediate vertices

$$f^k[i, j] = \begin{cases} w(i, j) & k = 0 \\ \min \begin{cases} f^{k-1}[i, j] \\ f^{k-1}[i, k] + f^{k-1}[k, j] \end{cases} & k = 1, 2, \dots, n \end{cases}$$



## Floyd-Warshall( $G, w$ )


```
1:  $f^0 \leftarrow w$ 
2: for  $k \leftarrow 1$  to  $n$  do
3:   copy  $f^{k-1} \rightarrow f^k$ 
4:   for  $i \leftarrow 1$  to  $n$  do
5:     for  $j \leftarrow 1$  to  $n$  do
6:       if  $f^{k-1}[i, k] + f^{k-1}[k, j] < f^k[i, j]$  then
7:          $f^k[i, j] \leftarrow f^{k-1}[i, k] + f^{k-1}[k, j]$ 
```

## Floyd-Warshall( $G, w$ )

```
1:  $f^{\text{old}} \leftarrow w$ 
2: for  $k \leftarrow 1$  to  $n$  do
3:   copy  $f^{\text{old}} \rightarrow f^{\text{new}}$ 
4:   for  $i \leftarrow 1$  to  $n$  do
5:     for  $j \leftarrow 1$  to  $n$  do
6:       if  $f^{\text{old}}[i, k] + f^{\text{old}}[k, j] < f^{\text{new}}[i, j]$  then
7:          $f^{\text{new}}[i, j] \leftarrow f^{\text{old}}[i, k] + f^{\text{old}}[k, j]$ 
```

**Lemma** Assume there are no negative cycles in  $G$ . After iteration  $k$ , for  $i, j \in V$ ,  $f[i, j]$  is **exactly** the length of shortest path from  $i$  to  $j$  that only uses vertices in  $\{1, 2, 3, \dots, k\}$  as intermediate vertices.

- Running time =  $O(n^3)$ .



	1	2	3	4	5
1	0	9040	30	$\infty$ 140	$\infty$
2	10	0	$\infty$ 40	50	$\infty$
3	6020	10	0	7060	20
4	$\infty$	$\infty$	$\infty$	0	20
5	$\infty$	$\infty$	$\infty$	10	0

- $i = 1, i = 2, i = 3, k = 1, k = 2, k = 3, j = 1, j = 2, j = 3, j = 4$

# Recovering Shortest Paths

## Floyd-Warshall( $G, w$ )

```
1:  $f \leftarrow w, \pi[i, j] \leftarrow \perp$  for every  $i, j \in V$ 
2: for  $k \leftarrow 1$  to  $n$  do
3:   for  $i \leftarrow 1$  to  $n$  do
4:     for  $j \leftarrow 1$  to  $n$  do
5:       if  $f[i, k] + f[k, j] < f[i, j]$  then
6:          $f[i, j] \leftarrow f[i, k] + f[k, j], \pi[i, j] \leftarrow k$ 
```

## print-path( $i, j$ )

```
1: if  $\pi[i, j] = \perp$  then then
2:   if  $i \neq j$  then print( $i, "$ ")
3: else
4:   print-path( $i, \pi[i, j]$ ), print-path( $\pi[i, j], j$ )
```

# Detecting Negative Cycles

## Floyd-Warshall( $G, w$ )

```
1:  $f \leftarrow w, \pi[i, j] \leftarrow \perp$  for every  $i, j \in V$ 
2: for  $k \leftarrow 1$  to  $n$  do
3:   for  $i \leftarrow 1$  to  $n$  do
4:     for  $j \leftarrow 1$  to  $n$  do
5:       if  $f[i, k] + f[k, j] < f[i, j]$  then
6:          $f[i, j] \leftarrow f[i, k] + f[k, j], \pi[i, j] \leftarrow k$ 
7: for  $k \leftarrow 1$  to  $n$  do
8:   for  $i \leftarrow 1$  to  $n$  do
9:     for  $j \leftarrow 1$  to  $n$  do
10:      if  $f[i, k] + f[k, j] < f[i, j]$  then
11:        report "negative cycle exists" and exit
```

# Summary of Shortest Path Algorithms

algorithm	graph	weights	SS?	running time
Simple DP	DAG	$\mathbb{R}$	SS	$O(n + m)$
Dijkstra	U/D	$\mathbb{R}_{\geq 0}$	SS	$O(n \log n + m)$
Bellman-Ford	U/D	$\mathbb{R}$	SS	$O(nm)$
Floyd-Warshall	U/D	$\mathbb{R}$	AP	$O(n^3)$

- DAG = directed acyclic graph    U = undirected    D = directed
- SS = single source    AP = all pairs

# Outline


- 1 Minimum Spanning Tree
  - Kruskal's Algorithm
  - Reverse-Kruskal's Algorithm
  - Prim's Algorithm
- 2 Single Source Shortest Paths
  - Dijkstra's Algorithm
- 3 Shortest Paths in Graphs with Negative Weights
- 4 All-Pair Shortest Paths and Floyd-Warshall
- 5 Minimum Cost Arborescence

**Def.** An arborescence is directed rooted tree, where all edges are directed away from the root.

## Minimum Cost Arborescence Problem

**Input:** a directed graph  $G = (V, E)$ ,  
edge weights  $w : E \rightarrow \mathbb{R}_{\geq 0}$   
root  $r \in V$


**Output:** a minimum-cost sub-graph  
 $T = (V, E')$  of  $G$  that is an  
arborescence with root  $r$





## Assumptions

- the root  $r$  does not have incoming edges.
- every vertex is reachable from the root  $r$ .
- For every  $v \in V \setminus \{r\}$ , define  $l_v = \min_{e \in \delta_v^{\text{in}}} w(e)$ .
- For every  $v \in V \setminus \{r\}$  and  $e \in \delta_v^{\text{in}}$ , define  $w'(e) = w(e) - l_v$ .




**Lemma** The instances  $(G, w, r)$  and  $(G, w', r)$  have the same optimum solution.

**Lemma** The instances  $(G, w, r)$  and  $(G, w', r)$  have the same optimum solution.

**Proof.**

Given any tree solution  $T$ ,  $w(T) - w'(T)$  is always  $\sum_{v \in V \setminus \{r\}} l_v$ .  $\square$

**Lemma** Let  $(v_0, v_1, v_2, \dots, v_p = v_0)$  be a cycle  $C$  of 0-cost edges in  $G$ . Then there is an optimum solution  $T$ , that contains all but one edges in  $C$ .



## MCA( $G, r, w$ )

- 1:  $F^* \leftarrow \emptyset$
- 2: **for** every  $v \in V \setminus \{r\}$  **do**
- 3:      $l_v \leftarrow \min_{e \in \delta_v^{\text{in}}} w(e)$
- 4:     **for** every edge  $e$  entering  $v$  **do**:  $w'(e) \leftarrow w(e) - l_v$
- 5:     choose a 0-cost edge entering  $v$ , add it to  $(V, F^*)$
- 6: **if**  $F^*$  form an arborescence **then return**  $F^*$
- 7: **else**
- 8:     **for** every cycle  $C$  in  $F^*$  **do**: contract  $C$  into a single node
- 9:     let  $G' = (V', E')$  be the obtained graph.
- 10:      $T' \leftarrow \text{MCA}(G', r, w')$
- 11:     extend  $T'$  to an aborescence  $T$  in  $G$ , by keeping all but one edges in every cycle  $C$  in  $F^*$ , and **return**  $T$

- The running time of the algorithm is  $O(mn)$
- [Tarjan (1971)]:  $O(\min(m \log n, n^2))$
- [Gabow, Galil, Spencer, Tarjan (1986)]:  $O(n \log n + m)$
- [Mendelson, Tarjan, Thorup, Zwick (2006)]:  $O(m \log \log n)$