

算法设计与分析(2024年春季学期)

# NP-Completeness

授课老师: 栗师

南京大学计算机科学与技术系

# NP-Completeness Theory

- The topics we discussed so far are **positive results**: how to design efficient algorithms for solving a given problem.
- NP-Completeness provides **negative results**: some problems can **not** be solved efficiently.

**Q:** Why do we study negative results?

- A given problem  $X$  cannot be solved in polynomial time.
- Without knowing it, you will have to keep trying to find polynomial time algorithm for solving  $X$ . All our efforts are doomed!

# Efficient = Polynomial Time

- Polynomial time:  $O(n^k)$  for any constant  $k > 0$
- Example:  $O(n)$ ,  $O(n^2)$ ,  $O(n^{2.5} \log n)$ ,  $O(n^{100})$
- Not polynomial time:  $O(2^n)$ ,  $O(n^{\log n})$
- Almost all algorithms we learnt so far run in polynomial time

## Reason for Efficient = Polynomial Time

- For natural problems, if there is an  $O(n^k)$ -time algorithm, then  $k$  is small, say 4
- A good cut separating problems: for most natural problems, either we have a polynomial time algorithm, or the best algorithm runs in time  $\Omega(2^{n^c})$  for some  $c$
- Do not need to worry about the computational model

# Outline

- 1 Some Hard Problems
- 2 P, NP and Co-NP
- 3 Polynomial Time Reductions and NP-Completeness
- 4 NP-Complete Problems
- 5 Dealing with NP-Hard Problems
- 6 Summary


# Example: Hamiltonian Cycle Problem

**Def.** Let  $G$  be an undirected graph. A **Hamiltonian Cycle (HC)** of  $G$  is a cycle  $C$  in  $G$  that **passes each vertex of  $G$  exactly once**.


## Hamiltonian Cycle (HC) Problem

**Input:** graph  $G = (V, E)$

**Output:** whether  $G$  contains a Hamiltonian cycle



## Example: Hamiltonian Cycle Problem



- The graph is called the **Petersen Graph**. It has no HC.

# Example: Hamiltonian Cycle Problem

## Hamiltonian Cycle (HC) Problem

**Input:** graph  $G = (V, E)$


**Output:** whether  $G$  contains a Hamiltonian cycle

Algorithm for Hamiltonian Cycle Problem:

- Enumerate all possible permutations, and check if it corresponds to a Hamiltonian Cycle
- Running time:  $O(n!m) = 2^{O(n \lg n)}$
- Better algorithm:  $2^{O(n)}$
- Far away from polynomial time
- HC is **NP-hard**: it is **unlikely** that it can be solved in polynomial time.

# Maximum Independent Set Problem

**Def.** An **independent set** of  $G = (V, E)$  is a subset  $I \subseteq V$  such that no two vertices in  $I$  are adjacent in  $G$ .



## Maximum Independent Set Problem

**Input:** graph  $G = (V, E)$

**Output:** the size of the maximum independent set of  $G$

- Maximum Independent Set is NP-hard



# Formula Satisfiability

## Formula Satisfiability

**Input:** boolean formula with  $n$  variables, with  $\vee, \wedge, \neg$  operators.

**Output:** whether the boolean formula is satisfiable

- Example:  $\neg((\neg x_1 \wedge x_2) \vee (\neg x_1 \wedge \neg x_3) \vee x_1 \vee (\neg x_2 \wedge x_3))$  is not satisfiable
- Trivial algorithm: enumerate all possible assignments, and check if each assignment satisfies the formula. The algorithm runs in exponential time.
- Formula Satisfiability is NP-hard

# Outline

- 1 Some Hard Problems
- 2 P, NP and Co-NP
- 3 Polynomial Time Reductions and NP-Completeness
- 4 NP-Complete Problems
- 5 Dealing with NP-Hard Problems
- 6 Summary

# Decision Problem Vs Optimization Problem

**Def.** A problem  $X$  is called a **decision problem** if the output is either 0 or 1 (yes/no).

- When we define the P and NP, we only consider decision problems.

**Fact** For each optimization problem  $X$ , there is a decision version  $X'$  of the problem. If we have a polynomial time algorithm for the decision version  $X'$ , we can solve the original problem  $X$  in polynomial time.

# Optimization to Decision

## Shortest Path

**Input:** graph  $G = (V, E)$ , weight  $w$ ,  $s, t$  and a bound  $L$

**Output:** whether there is a path from  $s$  to  $t$  of length at most  $L$

## Maximum Independent Set

**Input:** a graph  $G$  and a bound  $k$

**Output:** whether there is an independent set of size at least  $k$

# Encoding

The input of a problem will be **encoded** as a binary string.


## Example: Sorting problem

- Input: (3, 6, 100, 9, 60)
- Binary: (11, 110, 1100100, 1001, 111100)
- String: **111101111100011111000011000001  
110000110111111111000001**

# Encoding

The input of an problem will be **encoded** as a binary string.

## Example: Interval Scheduling Problem



- $(0, 3, 0, 4, 2, 4, 3, 5, 4, 6, 4, 7, 5, 8, 7, 9, 8, 9)$
- Encode the sequence into a binary string as before

# Encoding

**Def.** The **size** of an input is the length of the encoded string  $s$  for the input, denoted as  $|s|$ .

**Q:** Does it matter how we encode the input instances?

**A:** No! As long as we are using a “natural” encoding. We only care whether the running time is polynomial or not

# Define Problem as a Function

$$X : \{0, 1\}^* \rightarrow \{0, 1\}$$

**Def.** A **decision problem**  $X$  is a function mapping  $\{0, 1\}^*$  to  $\{0, 1\}$  such that for any  $s \in \{0, 1\}^*$ ,  $X(s)$  is the correct output for input  $s$ .

- $\{0, 1\}^*$ : the set of all binary strings of any length.

**Def.** An algorithm  $A$  **solves** a problem  $X$  if,  $A(s) = X(s)$  for any binary string  $s$

**Def.**  $A$  has a **polynomial running time** if there is a polynomial function  $p(\cdot)$  so that for every string  $s$ , the algorithm  $A$  terminates on  $s$  in at most  $p(|s|)$  steps.



# Complexity Class P

**Def.** The **complexity class P** is the set of decision problems  $X$  that can be solved in polynomial time.

- The decision versions of interval scheduling, shortest path and minimum spanning tree all in P.

# Certifier for Hamiltonian Cycle (HC)

- Alice has a supercomputer, fast enough to run the  $2^{O(n)}$  time algorithm for HC
- Bob has a slow computer, which can only run an  $O(n^3)$ -time algorithm

**Q:** Given a graph  $G = (V, E)$  with a HC, how can Alice convince Bob that  $G$  contains a Hamiltonian cycle?

**A:** Alice gives a Hamiltonian cycle to Bob, and Bob checks if it is really a Hamiltonian cycle of  $G$

**Def.** The message Alice sends to Bob is called a **certificate**, and the algorithm Bob runs is called a **certifier**.

# Certifier for Independent Set (Ind-Set)

- Alice has a supercomputer, fast enough to run the  $2^{O(n)}$  time algorithm for Ind-Set
- Bob has a slow computer, which can only run an  $O(n^3)$ -time algorithm

**Q:** Given graph  $G = (V, E)$  and integer  $k$ , such that there is an independent set of size  $k$  in  $G$ , how can Alice convince Bob that there is such a set?

**A:** Alice gives a set of size  $k$  to Bob and Bob checks if it is really a independent set in  $G$ .

- Certificate: a set of size  $k$
- Certifier: check if the given set is really an independent set

# The Complexity Class NP

**Def.**  $B$  is an **efficient certifier** for a problem  $X$  if

- $B$  is a polynomial-time algorithm that takes two input strings  $s$  and  $t$ , and outputs 0 or 1.
- there is a polynomial function  $p$  such that,  $X(s) = 1$  if and only if there is string  $t$  such that  $|t| \leq p(|s|)$  and  $B(s, t) = 1$ .

The string  $t$  such that  $B(s, t) = 1$  is called a **certificate**.

**Def.** The complexity class NP is the set of all problems for which there exists an efficient certifier.

# HC (Hamiltonian Cycle) $\in$ NP

- Input: Graph  $G$
- Certificate: a permutation  $S$  of  $V$  that forms a Hamiltonian Cycle
- $|\text{encoding}(S)| \leq p(|\text{encoding}(G)|)$  for some polynomial function  $p$
- Certifier  $B$ :  $B(G, S) = 1$  if and only if  $S$  gives an HC in  $G$
- Clearly,  $B$  runs in polynomial time
- $\text{HC}(G) = 1 \iff \exists S, B(G, S) = 1$


# MIS (Maximum Independent Set) $\in$ NP

- Input: graph  $G = (V, E)$  and integer  $k$
- Certificate: a set  $S \subseteq V$  of size  $k$
- $|\text{encoding}(S)| \leq p(|\text{encoding}(G, k)|)$  for some polynomial function  $p$
- Certifier  $B$ :  $B((G, k), S) = 1$  if and only if  $S$  is an independent set in  $G$
- Clearly,  $B$  runs in polynomial time
- $\text{MIS}(G, k) = 1 \iff \exists S, B((G, k), S) = 1$

## Circuit Satisfiability (Circuit-Sat) Problem

**Input:** a circuit with and/or/not gates

**Output:** whether there is an assignment such that the output is 1?



- Is Circuit-Sat  $\in$  NP?

## $\overline{\text{HC}}$

**Input:** graph  $G = (V, E)$

**Output:** whether  $G$  **does not** contain a Hamiltonian cycle

- Is  $\overline{\text{HC}} \in \text{NP}$ ?
- Can Alice convince Bob that  $G$  is a yes-instance (i.e,  $G$  **does not** contain a HC), if this is true.
- Unlikely
- Alice can only convince Bob that  $G$  is a no-instance
- $\overline{\text{HC}} \in \text{Co-NP}$



# The Complexity Class Co-NP

**Def.** For a problem  $X$ , the problem  $\overline{X}$  is the problem such that  $\overline{X}(s) = 1$  if and only if  $X(s) = 0$ .

**Def.** **Co-NP** is the set of decision problems  $X$  such that  $\overline{X} \in \text{NP}$ .

**Def.** A **tautology** is a boolean formula that always evaluates to 1.

## Tautology Problem

**Input:** a boolean formula

**Output:** whether the formula is a tautology

- e.g.  $(\neg x_1 \wedge x_2) \vee (\neg x_1 \wedge \neg x_3) \vee x_1 \vee (\neg x_2 \wedge x_3)$  is a tautology
- Bob can certify that a formula is not a tautology
- Thus Tautology  $\in$  Co-NP

# $P \subseteq NP$

- Let  $X \in P$  and  $X(s) = 1$

**Q:** How can Alice convince Bob that  $s$  is a yes instance?

**A:** Since  $X \in P$ , Bob can check whether  $X(s) = 1$  by himself, without Alice's help.

- The certificate is an empty string
- Thus,  $X \in NP$  and  $P \subseteq NP$
- Similarly,  $P \subseteq \text{Co-NP}$ , thus  $P \subseteq NP \cap \text{Co-NP}$

# Is $P = NP$ ?





- A famous, big, and fundamental open problem in computer science
- Little progress has been made
- Most researchers believe  $P \neq NP$
- It would be too amazing if  $P = NP$ : if one can **check** a solution efficiently, then one can find a **solution** efficiently
- We assume  $P \neq NP$  and prove that problems do not have polynomial time algorithms.
- We said it is **unlikely** that Hamiltonian Cycle can be solved in polynomial time:
  - if  $P \neq NP$ , then  $HC \notin P$
  - $HC \notin P$ , unless  $P = NP$

# Is $NP = Co-NP$ ?

- Again, a big open problem
- Most researchers believe  $NP \neq Co-NP$ .

## 4 Possibilities of Relationships

Notice that  $X \in \text{NP} \iff \overline{X} \in \text{Co-NP}$  and  $P \subseteq \text{NP} \cap \text{Co-NP}$



- People commonly believe we are in the 4th scenario

# Outline

- 1 Some Hard Problems
- 2 P, NP and Co-NP
- 3 Polynomial Time Reductions and NP-Completeness
- 4 NP-Complete Problems
- 5 Dealing with NP-Hard Problems
- 6 Summary

# Polynomial-Time Reductions

**Def.** Given a black box algorithm  $A$  that solves a problem  $X$ , if any instance of a problem  $Y$  can be solved using a polynomial number of standard computational steps, plus a polynomial number of calls to  $A$ , then we say  $Y$  is polynomial-time reducible to  $X$ , denoted as  $Y \leq_P X$ .

To prove positive results:

Suppose  $Y \leq_P X$ . If  $X$  can be solved in polynomial time, then  $Y$  can be solved in polynomial time.

To prove negative results:

Suppose  $Y \leq_P X$ . If  $Y$  cannot be solved in polynomial time, then  $X$  cannot be solved in polynomial time.




# Polynomial-Time Reduction: Example

## Hamiltonian-Path (HP) problem

**Input:**  $G = (V, E)$  and  $s, t \in V$

**Output:** whether there is a Hamiltonian path from  $s$  to  $t$  in  $G$

**Lemma**  $HP \leq_P HC$ .



**Obs.**  $G$  has a HP from  $s$  to  $t$  if and only if graph on right side has a HC.

# NP-Completeness

**Def.** A problem  $X$  is called **NP-complete** if

- ①  $X \in \text{NP}$ , and
- ②  $Y \leq_P X$  for every  $Y \in \text{NP}$ .

**Theorem** If  $X$  is NP-complete and  $X \in \text{P}$ , then  $\text{P} = \text{NP}$ .

- NP-complete problems are the hardest problems in NP
- NP-hard problems are at least as hard as NP-complete problems (a NP-hard problem is not required to be in NP)

# Outline

- 1 Some Hard Problems
- 2 P, NP and Co-NP
- 3 Polynomial Time Reductions and NP-Completeness
- 4 NP-Complete Problems**
- 5 Dealing with NP-Hard Problems
- 6 Summary

**Def.** A problem  $X$  is called **NP-complete** if

- ①  $X \in \text{NP}$ , and
- ②  $Y \leq_P X$  for every  $Y \in \text{NP}$ .


- How can we find a problem  $X \in \text{NP}$  such that every problem  $Y \in \text{NP}$  is polynomial time reducible to  $X$ ? Are we asking for too much?
- No! There is indeed a large family of natural NP-complete problems

# The First NP-Complete Problem: Circuit-Sat

## Circuit Satisfiability (Circuit-Sat)

**Input:** a circuit


**Output:** whether the circuit is satisfiable



# Circuit-Sat is NP-Complete


- key fact: algorithms can be converted to circuits

**Fact** Any algorithm that takes  $n$  bits as input and outputs 0/1 with running time  $T(n)$  can be converted into a circuit of size  $p(T(n))$  for some polynomial function  $p(\cdot)$ .



- Then, we can show that any problem  $Y \in \text{NP}$  can be reduced to Circuit-Sat.
- We prove  $\text{HC} \leq_P \text{Circuit-Sat}$  as an example.

# $HC \leq_P \text{Circuit-Sat}$



- Let  $\text{check-HC}(G, S)$  be the certifier for the Hamiltonian cycle problem:  $\text{check-HC}(G, S)$  returns 1 if  $S$  is a Hamiltonian cycle in  $G$  and 0 otherwise.
- $G$  is a yes-instance if and only if there is an  $S$  such that  $\text{check-HC}(G, S)$  returns 1
- Construct a circuit  $C'$  for the algorithm  $\text{check-HC}$
- hard-wire the instance  $G$  to the circuit  $C'$  to obtain the circuit  $C$
- $G$  is a yes-instance if and only if  $C$  is satisfiable


## $Y \leq_P \text{Circuit-Sat}$ , For Every $Y \in \text{NP}$

- Let  $\text{check-}Y(s, t)$  be the certifier for problem  $Y$ :  $\text{check-}Y(s, t)$  returns 1 if  $t$  is a valid certificate for  $s$ .
- $s$  is a yes-instance if and only if there is a  $t$  such that  $\text{check-}Y(s, t)$  returns 1
- Construct a circuit  $C'$  for the algorithm  $\text{check-}Y$
- hard-wire the instance  $s$  to the circuit  $C'$  to obtain the circuit  $C$
- $s$  is a yes-instance if and only if  $C$  is satisfiable □

**Theorem** Circuit-Sat is NP-complete.



# Reductions of NP-Complete Problems



3-CNF (conjunctive normal form) is a special case of formula:

- Boolean variables:  $x_1, x_2, \dots, x_n$
- Literals:  $x_i$  or  $\neg x_i$
- Clause: disjunction (“or”) of at most 3 literals:  $x_3 \vee \neg x_4, x_1 \vee x_8 \vee \neg x_9, \neg x_2 \vee \neg x_5 \vee x_7$
- 3-CNF formula: conjunction (“and”) of clauses:  
 $(x_1 \vee \neg x_2 \vee \neg x_3) \wedge (x_2 \vee x_3 \vee x_4) \wedge (\neg x_1 \vee \neg x_3 \vee \neg x_4)$


## 3-Sat

**Input:** a 3-CNF formula

**Output:** whether the 3-CNF is satisfiable

- To satisfy a 3-CNF, we need to satisfy all clauses
- To satisfy a clause, we need to satisfy at least 1 literal
- Assignment  $x_1 = 1, x_2 = 1, x_3 = 0, x_4 = 0$  satisfies  $(x_1 \vee \neg x_2 \vee \neg x_3) \wedge (x_2 \vee x_3 \vee x_4) \wedge (\neg x_1 \vee \neg x_3 \vee \neg x_4)$

# Circuit-Sat $\leq_P$ 3-Sat



- Associate every wire with a new variable
- The circuit is equivalent to the following formula:

$$\begin{aligned} & (x_4 = \neg x_3) \wedge (x_5 = x_1 \vee x_2) \wedge (x_6 = \neg x_4) \\ & \wedge (x_7 = x_1 \wedge x_2 \wedge x_4) \wedge (x_8 = x_5 \vee x_6) \\ & \wedge (x_9 = x_6 \vee x_7) \wedge (x_{10} = x_8 \wedge x_9 \wedge x_7) \wedge x_{10} \end{aligned}$$

# Circuit-Sat $\leq_P$ 3-Sat

$$\begin{aligned} & (x_4 = \neg x_3) \wedge (x_5 = x_1 \vee x_2) \wedge (x_6 = \neg x_4) \\ & \wedge (x_7 = x_1 \wedge x_2 \wedge x_4) \wedge (x_8 = x_5 \vee x_6) \\ & \wedge (x_9 = x_6 \vee x_7) \wedge (x_{10} = x_8 \wedge x_9 \wedge x_7) \wedge x_{10} \end{aligned}$$

Convert each clause to a 3-CNF

$$x_5 = x_1 \vee x_2 \quad \Leftrightarrow$$

$$(x_1 \vee x_2 \vee \neg x_5) \quad \wedge$$

$$(x_1 \vee \neg x_2 \vee x_5) \quad \wedge$$

$$(\neg x_1 \vee x_2 \vee x_5) \quad \wedge$$


$$(\neg x_1 \vee \neg x_2 \vee x_5)$$

$x_1$	$x_2$	$x_5$	$x_5 \leftrightarrow x_1 \vee x_2$
0	0	0	1
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	1
1	1	0	0
1	1	1	1

# Circuit-Sat $\leq_P$ 3-Sat


- Circuit  $\iff$  Formula  $\iff$  3-CNF
- The circuit is satisfiable if and only if the 3-CNF is satisfiable
- The size of the 3-CNF formula is polynomial (indeed, linear) in the size of the circuit
- Thus, Circuit-Sat  $\leq_P$  3-Sat

# Reductions of NP-Complete Problems



# Recall: Independent Set Problem

**Def.** An **independent set** of  $G = (V, E)$  is a subset  $I \subseteq V$  such that no two vertices in  $I$  are adjacent in  $G$ .



## Independent Set (Ind-Set) Problem


**Input:**  $G = (V, E), k$

**Output:** whether there is an independent set of size  $k$  in  $G$



# 3-Sat $\leq_P$ Ind-Set

- $(x_1 \vee \neg x_2 \vee \neg x_3) \wedge (x_2 \vee x_3 \vee x_4) \wedge (\neg x_1 \vee \neg x_3 \vee x_4)$
- A clause  $\Rightarrow$  a group of 3 vertices, one for each literal
- An edge between every pair of vertices in same group
- An edge between every pair of contradicting literals
- Problem: whether there is an IS of size  $k = \# \text{clauses}$




3-Sat instance is yes-instance  $\Leftrightarrow$  Ind-Set instance is yes-instance:

- satisfying assignment  $\Rightarrow$  independent set of size  $k$
- independent set of size  $k \Rightarrow$  satisfying assignment


# Satisfying Assignment $\Rightarrow$ IS of Size $k$

- $(x_1 \vee \neg x_2 \vee \neg x_3) \wedge (x_2 \vee x_3 \vee x_4) \wedge (\neg x_1 \vee \neg x_3 \vee x_4)$
- For every clause, at least 1 literal is satisfied
- Pick the vertex correspondent the literal
- So, 1 literal from each group
- No contradictions among the selected literals
- An IS of size  $k$




# IS of Size $k \Rightarrow$ Satisfying Assignment


- $(x_1 \vee \neg x_2 \vee \neg x_3) \wedge (x_2 \vee x_3 \vee x_4) \wedge (\neg x_1 \vee \neg x_3 \vee x_4)$
- For every group, exactly one literal is selected in IS
- No contradictions among the selected literals
- If  $x_i$  is selected in IS, set  $x_i = 1$
- If  $\neg x_i$  is selected in IS, set  $x_i = 0$
- Otherwise, set  $x_i$  arbitrarily



# Reductions of NP-Complete Problems



**Def.** A **clique** in an undirected graph  $G = (V, E)$  is a subset  $S \subseteq V$  such that  $\forall u, v \in S$  we have  $(u, v) \in E$



## Clique Problem

**Input:**  $G = (V, E)$  and integer  $k > 0$ ,

**Output:** whether there exists a clique of size  $k$  in  $G$


- What is the relationship between Clique and Ind-Set?

## Clique $=_P$ Ind-Set

**Def.** Given a graph  $G = (V, E)$ , define  $\overline{G} = (V, \overline{E})$  be the graph such that  $(u, v) \in \overline{E}$  if and only if  $(u, v) \notin E$ .


**Obs.**  $S$  is an independent set in  $G$  if and only if  $S$  is a clique in  $\overline{G}$ .

# Reductions of NP-Complete Problems



# Vertex-Cover

**Def.** Given a graph  $G = (V, E)$ , a **vertex cover** of  $G$  is a subset  $S \subseteq V$  such that for every  $(u, v) \in E$  then  $u \in S$  or  $v \in S$ .



## Vertex-Cover Problem

**Input:**  $G = (V, E)$  and integer  $k$

**Output:** whether there is a vertex cover of  $G$  of size at most  $k$




# Vertex-Cover $=_P$ Ind-Set

**Q:** What is the relationship between Vertex-Cover and Ind-Set?


**A:**  $S$  is a vertex-cover of  $G = (V, E)$  if and only if  $V \setminus S$  is an independent set of  $G$ .

# Reductions of NP-Complete Problems



# $k$ -coloring problem

**Def.** A  $k$ -coloring of  $G = (V, E)$  is a function  $f : V \rightarrow \{1, 2, 3, \dots, k\}$  so that for every edge  $(u, v) \in E$ , we have  $f(u) \neq f(v)$ .  $G$  is  $k$ -colorable if there is a  $k$ -coloring of  $G$ .



## $k$ -coloring problem

**Input:** a graph  $G = (V, E)$

**Output:** whether  $G$  is  $k$ -colorable or not

## 2-Coloring Problem

**Obs.** A graph  $G$  is 2-colorable if and only if it is bipartite.


**Q:** How do we check if a graph  $G$  is 2-colorable?

**A:** We check if  $G$  is bipartite.


# 3-SAT $\leq_P$ 3-Coloring

- Construct the base graph
- Construct a gadget from each clause: gadget is 3-colorable if and only if the clause is satisfied.


Base Graph



$x_1 \vee \neg x_2 \vee x_3$




# Reductions of NP-Complete Problems



## Recall: Hamiltonian Cycle (HC) Problem


**Input:** graph  $G = (V, E)$

**Output:** whether  $G$  contains a Hamiltonian cycle



- We consider Hamiltonian Cycle Problem in **directed** graphs
- Exercise:  $\text{HC-directed} \leq_P \text{HC}$


# 3-Sat $\leq_P$ Directed-HC



- Vertices  $s, t$
- A long enough double-path  $P_i$  for each variable  $x_i$
- Edges from  $s$  to  $P_1$
- Edges from  $P_n$  to  $t$
- Edges from  $P_i$  to  $P_{i+1}$
- $x_i = 1 \iff$  traverse  $P_i$  from left to right
- e.g.,  
 $x_1 = 1, x_2 = 1, x_3 = 0, x_4 = 0$




# 3-Sat $\leq_P$ Directed-HC




- There are exactly  $2^n$  different Hamiltonian cycles, each correspondent to one assignment of variables
- Add a vertex for each clause, so that the vertex can be visited only if one of the literals is satisfied.

# A Path Should Be Long Enough




- $k$ : number of clauses

# Yes-Instance for 3-Sat $\Rightarrow$ Yes-Instance for Di-HC




- In base graph, construct an HC according to the satisfying assignment
- For every clause, one literal is satisfied
- Visit the vertex for the clause by taking a “detour” from the path for the literal

# Yes-Instance for Di-HC $\Rightarrow$ Yes-Instance for 3-Sat




- Idea: for each path  $P_i$ , must follow the left-to-right or right-to-right pattern.
- To visit vertex  $b$ , can either go  $a-b-c$  or  $b-c-a$
- Created “chunks” of 3 vertices.
- Directions of the chunks must be the same
- Can not take a detour to some other path

# Reductions of NP-Complete Problems



# Traveling Salesman Problem

- A salesman needs to visit  $n$  cities  $1, 2, 3, \dots, n$
- He needs to start from and return to city 1
- Goal: find a tour with the minimum cost




## Travelling Salesman Problem (TSP)

**Input:** a graph  $G = (V, E)$ , weights  $w : E \rightarrow \mathbb{R}_{\geq 0}$ , and  $L > 0$

**Output:** whether there is a tour of length at most  $D$

$$\text{HC} \leq_P \text{TSP}$$



**Obs.** There is a Hamilton cycle in  $G$  if and only if there is a tour for the salesman of length  $n = |V|$ .

# A Strategy of Polynomial Reduction

Recall the definition of polynomial time reductions:

**Def.** Given a black box algorithm  $A$  that solves a problem  $X$ , if any instance of a problem  $Y$  can be solved using a polynomial number of standard computational steps, plus a polynomial number of calls to  $A$ , then we say  $Y$  is polynomial-time reducible to  $X$ , denoted as  $Y \leq_P X$ .

- In general, algorithm for  $Y$  can call the algorithm for  $X$  many times.
- However, for most reductions, we call algorithm for  $X$  only once
- That is, for a given instance  $s_Y$  for  $Y$ , we only construct one instance  $s_X$  for  $X$



# A Strategy of Polynomial Reduction

- Given an instance  $s_Y$  of problem  $Y$ , show how to construct in polynomial time an instance  $s_X$  of problem  $X$  such that:
  - $s_Y$  is a yes-instance of  $Y \Rightarrow s_X$  is a yes-instance of  $X$
  - $s_X$  is a yes-instance of  $X \Rightarrow s_Y$  is a yes-instance of  $Y$

# Outline

- 1 Some Hard Problems
- 2 P, NP and Co-NP
- 3 Polynomial Time Reductions and NP-Completeness
- 4 NP-Complete Problems
- 5 Dealing with NP-Hard Problems**
- 6 Summary

**Q:** How far away are we from proving or disproving  $P = NP$ ?

- Try to prove an “unconditional” lower bound on running time of algorithm solving a NP-complete problem.
- For 3-Sat problem:
  - Assume the number of clauses is  $\Theta(n)$ ,  $n$  = number variables
  - Best algorithm runs in time  $O(c^n)$  for some constant  $c > 1$
  - Best lower bound is  $\Omega(n)$
- Essentially we have no techniques for proving lower bound for running time

# Dealing with NP-Hard Problems

- Faster exponential time algorithms
- Solving the problem for special cases
- Fixed parameter tractability
- Approximation algorithms

# Faster Exponential Time Algorithms

## 3-SAT:

- Brute-force:  $O(2^n \cdot \text{poly}(n))$
- $2^n \rightarrow 1.844^n \rightarrow 1.3334^n$
- Practical SAT Solver: solves real-world sat instances with more than 10,000 variables

## Travelling Salesman Problem:

- Brute-force:  $O(n! \cdot \text{poly}(n))$
- Better algorithm:  $O(2^n \cdot \text{poly}(n))$
- In practice: TSP Solver can solve Euclidean TSP instances with more than 100,000 vertices


# Solving the problem for special cases

Maximum independent set problem is NP-hard on general graphs, but easy on

- trees
- bounded tree-width graphs
- interval graphs
- ...

# Fixed Parameter Tractability

- Problem: whether there is a vertex cover of size  $k$ , for a **small**  $k$  (number of nodes is  $n$ , number of edges is  $\Theta(n)$ .)
- Brute-force algorithm:  $O(kn^{k+1})$
- Better running time :  $O(2^k \cdot kn)$
- Running time is  $f(k)n^c$  for some  $c$  independent of  $k$
- Vertex-Cover is fixed-parameter tractable.



# Approximation Algorithms

- For optimization problems, approximation algorithms will find sub-optimal solutions in **polynomial time**
- **Approximation ratio** is the ratio between the quality of the solution output by the algorithm and the quality of the optimal solution
- We want to make the approximation ratio as small as possible, while maintaining the property that the algorithm runs in polynomial time
- There is an 2-approximation for the vertex cover problem: **we can efficiently find a vertex cover whose size is at most 2 times that of the optimal vertex cover**



# Outline

- 1 Some Hard Problems
- 2 P, NP and Co-NP
- 3 Polynomial Time Reductions and NP-Completeness
- 4 NP-Complete Problems
- 5 Dealing with NP-Hard Problems
- 6 Summary

# Summary

- We consider decision problems
- Inputs are encoded as  $\{0, 1\}$ -strings

**Def.** The complexity class **P** is the set of decision problems  $X$  that can be solved in polynomial time.

- Alice has a supercomputer, fast enough to run an exponential time algorithm
- Bob has a slow computer, which can only run a polynomial-time algorithm

**Def.** (Informal) The complexity class **NP** is the set of problems for which Alice can convince Bob a yes instance is a yes instance

# Summary

**Def.**  $B$  is an **efficient certifier** for a problem  $X$  if

- $B$  is a polynomial-time algorithm that takes two input strings  $s$  and  $t$
- there is a polynomial function  $p$  such that,  $X(s) = 1$  if and only if there is string  $t$  such that  $|t| \leq p(|s|)$  and  $B(s, t) = 1$ .

The string  $t$  such that  $B(s, t) = 1$  is called a **certificate**.

**Def.** The complexity class **NP** is the set of all problems for which there exists an efficient certifier.

# Summary


**Def.** Given a black box algorithm  $A$  that solves a problem  $X$ , if any instance of a problem  $Y$  can be solved using a polynomial number of standard computational steps, plus a polynomial number of calls to  $A$ , then we say  $Y$  is polynomial-time reducible to  $X$ , denoted as  $Y \leq_P X$ .

**Def.** A problem  $X$  is called NP-complete if

- ①  $X \in \text{NP}$ , and
- ②  $Y \leq_P X$  for every  $Y \in \text{NP}$ .

- If any NP-complete problem can be solved in polynomial time, then  $P = \text{NP}$
- Unless  $P = \text{NP}$ , a NP-complete problem can not be solved in polynomial time

# Summary



# Summary

## Proof of NP-Completeness for Circuit-Sat

- Fact 1: a polynomial-time algorithm can be converted to a polynomial-size circuit
- Fact 2: for a problem in NP, there is a efficient certifier.
- Given a problem  $X \in \text{NP}$ , let  $B(s, t)$  be the certifier
- Convert  $B(s, t)$  to a circuit and hard-wire  $s$  to the input gates
- $s$  is a yes-instance if and only if the resulting circuit is satisfiable
- Proof of NP-Completeness for other problems by reductions